

Author index for Volume 34

	number	page
1. Abelman, Andrea— <i>Freeze-drying simplifies the preparation of microfossils</i>	4	361
2. Abelman, Andrea, and Gersonde, Rainer— <i>Cycladophora davisiana stratigraphy in Plio-Pleistocene cores from the Antarctic Ocean (Atlantic sector)</i>	3	268
3. Anderson, O. R., Hays, J. D., and Gross, M.— <i>An ontogenetic analysis of changes in morphology during phylogeny of some Lamprocyrtis spp. from deep sea sediments</i>	1	41
4. Announcement— <i>Catalogue of Planktonic Foraminifera—Supplement (Book 7)</i>	1	96
5. Announcement— <i>Catalogue of Planktonic Foraminifera—Supplement (Book 7)</i>	2	158
6. Announcement— <i>Meeting of the American Society of Zoologists and other societies, San Francisco, December 27–30, 1988</i>	3	216
7. Announcement— <i>Third International Workshop on Agglutinated Foraminifera</i> Arnold, A. J.—see: Hunter, R. S. T., Arnold, A. J., and Parker, W. C.	4	361
8. Berggren, W. A., and Miller, Kenneth G.— <i>Paleogene tropical planktonic foraminiferal biostratigraphy</i>	4	362
9. Bertels, Alwine— <i>Ostracoda substitutional names</i>	3	259
10. Blueford, Joyce— <i>Radiolarian biostratigraphy of siliceous Eocene deposits in central California</i>	3	236
11. Boltovskoy, Demetrio, and Vrba, Ana— <i>Classification and geographic distribution of Stylodictya-type radiolarians</i>	4	332
12. Brookfield, Martin E.— <i>Where are all the fossil sea squirts?</i>	3	277
13. Caulet, Jean Pierre, and Nigrini, Catherine— <i>The genus Pterocorys (Radiolaria) from the tropical late Neogene of the Indian and Pacific Oceans</i> Caulet, Jean Pierre—see: Nigrini, Catherine, and Caulet, Jean Pierre	3	217
14. Colbath, G. Kent— <i>Taphonomy of Recent polychaete jaws from Florida and Belize</i>	1	83
15. El-Nakhal, Hamed— <i>New observations on the geological age of the Dammam Formation in Arabia</i> Gersonde, Rainer—see: Abelman, Andrea, and Gersonde, Rainer Gross, M.—see: Anderson, O. R., Hays, J. D., and Gross, M. Hays, J. D.—see: Anderson, O. R., Hays, J. D., and Gross, M.	3	284
16. Hunter, R. S. T., Arnold, A. J., and Parker, W. C.— <i>Evolution and homeomorphy in the development of the Paleocene Planorotalites pseudomenardii and the Miocene Globorotalia (Globorotalia) margaritae lineages</i>	2	181
17. Kamiya, Takahiro— <i>Contrasting population ecology of two species of Loxoconcha (Ostracoda, Crustacea) in Recent Zostera (eelgrass) beds: adaptive differences between phytal and bottom dwelling species</i> Lazarus, D. B.—see: Lombardi, G., and Lazarus, D. B.	4	316
18. Lombardi, G., and Lazarus, D. B.— <i>Neogene cycladophorid radiolarians from North Atlantic, Antarctic, and North Pacific deep-sea sediments</i>	2	97
19. MacLeod, Norman— <i>Lower and middle Jurassic Perispyridium (Radiolaria) from the Snowshoe Formation, east-central Oregon</i> Maddocks, Rosalie F.—see: Melnyk, David H. and Maddocks, Rosalie F.	4	289
20. McNeil, David H.— <i>New occurrence of the algal cyst (?) Bolboforma badensis Szczechura in the Miocene of the Beaufort Sea, Arctic Canada</i>	1	1
21. Melnyk, David H., and Maddocks, Rosalie F.— <i>Ostracode biostratigraphy of the Permo-Carboniferous of Central and North-Central Texas, Part I: Paleoenvironmental framework</i>	1	21

22. Melnyk, David H., and Maddocks, Rosalie F.— <i>Ostracode biostratigraphy of the Permian-Carboniferous of Central and North-Central Texas, Part II: Ostracode zonation</i>	4	341
Miller, Kenneth G.—see: Berggren, W. A., and Miller, Kenneth G.		
23. Nigrini, Catherine, and Caulet, Jean Pierre— <i>The genus Anthocyrtidium (Radiolaria) from the tropical late Neogene of the Neogene of the Indian and Pacific Oceans</i>	4	340
Nigrini, Catherine—see: Caulet, Jean Pierre, and Nigrini, Catherine		
24. Nomenclatorial notes	4	340
Parker, W. C.—see: Hunter, R. S. T., Arnold, A. J., and Parker, W. C.		
25. Renz, G. W.— <i>Silurian radiolarians of the genus Ceratoikiscum from the Canadian Arctic</i>	3	260
26. Sanfilippo, A.— <i>Pliocene radiolaria from Bianco, Calabria, Italy</i>	2	159
27. Sarjeant, W. A. S.— <i>Review: Guide pratique pour la détermination de kystes de dinoflagellés fossiles, by Group de Travail "Dinoflagellés", Association des Palynologues de Langue Française</i>	3	286
28. Sohn, I. G.— <i>Revision of the Late Mississippian new ostracode genera in Coryell and Johnson 1939</i>	1	52
Stam, B.—see: Williamson, M. A., and Stam, B.		
29. Streeter, Larisa— <i>Two species (one new) of Plio-Pleistocene Radiolaria from the central equatorial Indian Ocean</i>	1	63
30. Taxonomic notes— <i>Re Sorites Ehrenberg and Discocyclus Gumbel</i>	3	216
31. Thomas, F. C.— <i>Taxonomy and stratigraphy of selected Cenozoic benthic foraminifera, Canadian Atlantic margin</i>	1	67
Thunnell, Robert C.—see: Wright, James D., and Thunnell, Robert C.		
Vrba, Ana—see: Boltovskoy, Demetrio, and Vrba, Ana		
32. Williamson, M. A., and Stam, B.— <i>Jurassic/Cretaceous Epistominidae from Canada and Europe</i>	2	136
33. Wright, James D., and Thunnell, Robert C.— <i>Neogene planktonic foraminiferal biogeography and paleoceanography of the Indian Ocean</i>	3	193

Subject index for Volume 34

NOTE: Names of new and emended taxa are set in **bold-face** type. Numbers refer to papers listed in the author index.

- Algal cysts
 - Miocene, 20
 - Arctic Canada, 20
- Announcements
 - American Society of Zoologists Meeting, 6
 - International Workshop on Agglutinated Foraminifera, 7
- Antarctic
 - Neogene, 18
- Antarctic Ocean
 - Plio-Pleistocene
 - Radiolaria, *Cycladophora*, 2
- Arabia
 - Dammam Formation, 15
- Arctic Canada
 - Miocene
 - Algal cysts, 20
 - Silurian
 - Radiolaria, 25
- Ascidians, 12
- Atlantic, Canadian margin
 - Cenozoic
 - Foraminifera, benthic, 31
- Atlantic, North
 - Neogene, 18
- Belize
 - Recent
 - Polychaetes, 14
- California
 - Eocene
 - Stratigraphy, 10
 - Radiolaria, 10
- Canada
 - Jurassic/Cretaceous
 - Foraminifera, Epistominidae, 32
 - Miocene
 - Algal cysts, 20
 - Canadian Atlantic margin
 - Cenozoic, 31
 - Foraminifera, benthic, 31
 - Cenozoic
 - Foraminifera
 - Canadian Atlantic margin, 31
- Dammam Formation, Arabia, 15
- Europe
 - Jurassic/Cretaceous
 - Foraminifera, Epistominidae, 32
- Florida
 - Polychaetes
 - Recent, 14
- Foraminifera, benthic
 - Cenozoic
 - Canadian Atlantic margin, 31
 - Taxonomy and stratigraphy, 31
 - Foraminifera, Epistominidae
 - Jurassic/Cretaceous
 - Canada and Europe, 32
 - Foraminifera, planktonic
 - Neogene
 - Indian Ocean, 33
 - Paleogene
 - Zonation, 8
 - Freeze-drying microfossils, 1
 - Indian Ocean
 - Neogene
 - Paleoceanography, 33
 - Neogene, late
 - Radiolaria, *Anthocyrtidium*, 23
 - Radiolaria, *Pterocorys*, 13
 - Plio-Pleistocene
 - Radiolaria, 29
 - Italy, Bianco, Calabria
 - Pliocene
 - Radiolaria, 26
- Japan
 - Ostracoda
 - Population ecology, 17
- Jurassic, Lower and Middle
 - Radiolaria
 - Oregon, Snowshoe Formation, 19
- Jurassic/Cretaceous
 - Foraminifera
 - Canada and Europe, 32
- Magnetobiochronology
 - Paleogene, 8
- Microfossils
 - Freeze-drying, 1
- Miocene
 - Algal cysts, 20
 - Arctic Canada, 20
 - Globorotalia* (*Globorotalia*) *margaritae*
 - evolution and homeomorphy, 16
- Mississippian, Late
 - Ostracoda, 28
- Neogene
 - Foraminifera, planktonic
 - Indian Ocean, 33
 - Radiolarians, cycladophorid
 - Antarctic, 18
 - North Atlantic, 18
 - North Pacific, 18
- Neogene, late
 - Radiolaria, *Anthocyrtidium*
 - Indian Ocean, 23
 - Pacific Ocean, 23
 - Radiolaria, *Pterocorys*
 - Indian Ocean, 13
 - Pacific Ocean, 13
- Nomenclatorial notes
 - Borelis* de Montfort, 24
 - Calcarina* d'Orbigny, 24
 - Dendritina* d'Orbigny, 24
 - Hanzawaia* Asano, 24
 - Nautilus repandus* Fichtel and Moll, 24
- Nonion* de Montfort, 24
- Ostracoda, substitutional names, 9
- Planularia* DeFrance, 24
- Oregon
 - Jurassic, Lower and Middle
 - Radiolaria, 19
- Ostracoda
 - Japan, 17
 - Loxoconcha*
 - Bottom-dwelling, 17
 - Phytal, 17
 - Zostera* beds, 17
 - Mississippian, Late, 28
 - Monoceratinidae*, 28
 - Permo-Carboniferous
 - Texas, North-Central, 21
 - Zonation, 22
 - Sargentina*, 28
 - Substitutional names, 9
 - Tetratylidae*, 28
 - Texas, North-Central
 - Paleoenvironment, 21
 - Permo-Carboniferous, 21
 - Zonation, 22
- Pacific, North
 - Neogene, 18
- Pacific Ocean
 - Neogene, late
 - Radiolaria, *Anthocyrtidium*, 23
 - Radiolaria, *Pterocorys*, 13
- Paleocene
 - Planorotalites pseudomenardii*
 - Evolution homeomorphy, 16
- Paleogene
 - Foraminifera
 - Zonation, 8
 - Magnetobiochronology, 8
 - Permo-Carboniferous
 - Paleoenvironment, 21
 - Texas, North-Central, 21
 - Zonation, 22
- Plio-Pleistocene
 - Radiolaria
 - Antarctic Ocean, 2
 - Indian Ocean, 29
- Pliocene
 - Radiolaria
 - Italy, Bianco, Calabria, 26
- Polychaetes
 - Belize, 14
 - Florida, 14
 - Recent, 14
- P-Zonation, 8
- Radiolaria
 - Anthocyrtidium euryclathrum*, 23
 - Anthocyrtidium jenghisi*, 29
 - Anthocyrtidium prolatum*, 23
 - Ceratoikiskum extratriangulum*, 25

- Ceratoikiskum leonoides*, 25
Ceratoikiskum octopleura, 25
Ceratoikiskum supratriangulum, 25
Eocene
 California, 10
Indian Ocean
 Plio-Pleistocene, 29
Lamprocyrtis
 Morphology, 3
 Phylogeny, 3
Lower and Middle, 19
 Oregon, Snowshoe Formation, 19
Neogene, late
 Indian Ocean, 13, 23
 Pacific Ocean, 13, 23
Perispyridium darwini, 19
Perispyridium dobzhanskyi, 19
Perispyridium elegans, 19
Perispyridium gouldi, 19
Perispyridium hennigi, 19
Perispyridium mayri, 19
Perispyridium olsoni, 19
Perispyridium pessagnoii, 19
Perispyridium robustum, 19
Perispyridium schopfi, 19
Perispyridium simpsoni, 19
Perispyridium slaughteri, 19
Perispyridium triangularium, 19
Plio-Pleistocene
 Indian Ocean, 29
Pliocene
 Italy, Bianco, Calabria, 26
Radiolaria, *Ceratoikiskum*
 Silurian
 Canadian Arctic, 25
Radiolaria, *Cycladophora*
 Plio-Pleistocene
 Antarctic Ocean, 2
Radiolaria, *Stylodictya*-type
 Classification and distribution, 11
Radiolarians, cycladophorid
 Antarctic, 18
 Cycladophora, 18
 Cycladophora bicornis amphora, 18
 Cycladophora bicornis bicornis, 18
 Cycladophora bicornis helios, 18
 Cycladophora bicornis klingi, 18
 Cycladophora cabrilloensis borea, 18
 Cycladophora cabrilloensis cabrilloensis, 18
 Cycladophora cabrilloensis subhumerus, 18
 Cycladophora campanula, 18
 Cycladophora conica, 18
 Cycladophora cosma, 18
 Cycladophora cosma cosma, 18
 Cycladophora golli regipileus, 18
 Cycladophora irregularis, 18
 Cycladophora pliocenica, 18
 Cycladophora regipileus, 18
 Cycladophora robusta, 18
 Cycladophora rosetta, 18
 Cycladophora spongothorax, 18
 Neogene
 Antarctic, 18
 North Atlantic, 18
 North Pacific, 18
 North Atlantic, 18
 North Pacific, 18
Recent
 Polychaetes
 Florida and Belize, 14
Reviews
 Guide Pratique, by Group de Travail
 "Dinoflagellés", 27
Sea squirts, 12
Silurian
 Radiolaria
 Canadian Arctic, 25
Stratigraphy
 California
 Eocene, 10
 Canadian Atlantic margin, 31
 Cenozoic
 Foraminiferal, 31
 Eocene
 California, 10
 Paleogene
 Tropical, 8
 Permo-Carboniferous, 21
 Plio-Pleistocene
 Antarctic Ocean, 2
 P-Zonation, 8
 Texas, North-Central, 21
 Zonation, 8
Taxonomic Notes
 Discocyclina Gumbel, 30
 Ostracoda
 Substitutional names, 9
 Sorites Ehrenberg, 30
Texas, North-Central
 Permo-Carboniferous
 Zonation, 22
Zonation
 Foraminifera, 8
 Magnetobiochronology, 8
 Ostracoda, 22
 Paleogene, 8
 Permo-Carboniferous, 22

